



Certificate of Analysis
Compliance Test

Client Information:

NOT YOUR BAKERY
150 NW 16th St.
Boca Raton, FL 33432

Batch # jdab0002
Batch Date: 2024-05-16
Extracted From: Hemp

Test Reg State: Florida

Order # NOT240805-030001
Order Date: 2024-08-05
Sample # AAFV292

Sampling Date: 2024-08-06
Lab Batch Date: 2024-08-06
Completion Date: 2024-08-12

Initial Gross Weight: 44.928 g



Product Image



Potency
Tested

Potency 10

Specimen Weight: 507.100 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Result (%)
CBC	50.000	1.80E-5	0.0015	519.6100	51.9610
THCA-A	50.000	3.20E-5	0.0015	468.5800	46.8580
Delta-9 THC	50.000	1.30E-5	0.0015	2.2300	0.2230
CBGA	50.000	8.00E-5	0.0015	1.4100	0.1410
CBDA	50.000	1.00E-5	0.0015	0.7600	0.0760
CBN	50.000	1.40E-5	0.0015	0.2300	0.0230
CBD	50.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDV	50.000	6.50E-5	0.0015	<LOQ	<LOQ
CBG	50.000	2.48E-4	0.0015	<LOQ	<LOQ
THCV	50.000	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD	50.000			0.667	0.067
Total Active THC	50.000			413.175	41.317



Potency Summary

Total Active THC 41.317%	Total Active CBD 0.067%
Total CBG 0.124%	Total CBN 0.023%
Total Cannabinoids 99.282%	Total CBC 51.961%
Total THCA-A 46.858%	

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.