

## Boners Softgel (BONERS31320)



### Custom Capsule Consultants

4710 S. Hoover Street  
Los Angeles, CA 90037  
www.customcapsuleconsultants.com

**Order ID#:** 200323001

Lab Code#: 200323001-002

Product Type: Softgel

Lot/Batch: BONERS31320

Unit size\* (g): 0.6918

Sample date: 21-Mar-2020

Sample received: 23-Mar-2020

Completed: 2-Apr-2020

Report expires: 2-Apr-2021

### CANNABINOIDS

**Analysis Batch:** WO-20032304  
**Analysis Date:** Monday, March 23, 2020

**Test Method:** SOP 6.6  
**Instrument:** Agilent HPLC, Instrument 33


Analyte	% <sup>a</sup>	mg/g	mg/softgel
THCA-A	ND	ND	ND
Δ9-THC	ND	ND	ND
CBDA	ND	ND	ND
CBD	2.29	22.9	15.8
CBN	0.0187	0.187	0.130
CBDV	0.0173	0.173	0.120
Δ8-THC	ND	ND	ND
THCV	ND	ND	ND
CBG	ND	ND	ND
CBGA	ND	ND	ND
CBC	0.0216	0.216	0.149
<b>Total:</b>	<b>2.35</b>	<b>23.5</b>	<b>16.2</b>

**THC<sup>b</sup>**  
**ND**

**Total CBD<sup>c</sup>**  
**15.8 mg**

**TOTAL<sup>d</sup>**  
**16.2 mg**

### Profile (mg/softgel)



<sup>a</sup> Detection Level = 0.03% by weight.

<sup>b</sup> THC is calculated as THC + (THCA × 0.877).

<sup>c</sup> CBD is calculated as CBD + (CBDA × 0.877).

<sup>d</sup> The absolute sum of all cannabinoids above the level of detection.

### Comments:

\* Weight uniformity:  
Average of 10 weighings.



### Authorization

YoungChul Park, Ph.D., Laboratory Director  
Approval Date: 2-Apr-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

## Boners Softgel (BONERS31320)

### PESTICIDES

**Analysis Batch:** WO-20032305  
**Analysis Date:** Tuesday, March 24, 2020

**Test Method:** SOP 6.7 (LC-MS/MS)  
**Instrument:** Agilent LC-MS/MS, Instrument 32

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	Pass
Acephate	3.00	Pass
Acequinocyl	2.00	NR*
Acetamiprid	3.00	Pass
Aldicarb	0.10	Pass
Azoxystrobin	3.00	Pass
Bifenazate	3.00	Pass
Carbaryl	0.50	Pass
Carbofuran	0.10	Pass
Chlorantraniliprole	3.00	Pass
Chlorfenapyr	0.05	Pass
Chlorpyrifos	0.10	Pass
Clofentezine	0.50	Pass
Coumaphos	0.10	Pass
Cypermethrin	1.00	NR*
Daminozide	0.10	Pass
Diazinon	0.20	Pass
Dichlorvos	0.10	Pass
Dimethoate	0.10	Pass
Dimethomorph (I/II)	3.00	Pass
Ethoprophos	0.10	Pass
Etofenprox	0.10	Pass
Etoazole	1.50	Pass
Fenhexamid	3.00	Pass
Fenoxycarb	0.10	Pass
Fenpyroximate	2.00	Pass
Fipronil	0.10	Pass
Flonicamid	2.00	Pass
Fludioxonil	3.00	Pass

Analyte	Action Level	Result (µg/g)
Hexythiazox	2.00	Pass
Imazalil	0.10	Pass
Imidacloprid	1.00	Pass
Kresoxim methyl	1.00	Pass
Malathion	3.00	Pass
Metalaxyl	0.10	Pass
Methiocarb	0.10	Pass
Methomyl	0.10	Pass
Mevinphos (I/II)	0.10	Pass
Myclobutanil	3.00	Pass
Naled	0.50	Pass
Oxamyl	1.50	Pass
Paclobutrazol	0.10	Pass
Phosmet	0.20	Pass
Piperonyl butoxide	3.00	Pass
Prallethrin	0.40	Pass
Propiconazole	1.00	Pass
Propoxur	2.10	Pass
Pyrethrins	1.00	Pass
Pyridaben	3.00	Pass
Spinetoram (J/L)	3.00	Pass
Spinosad A + D	3.00	Pass
Spiromesifen	3.00	Pass
Spirotetramat	3.00	Pass
Spiroxamine (I/II)	0.10	Pass
Tebuconazole	1.00	Pass
Thiacloprid	0.10	Pass
Thiamethoxam	1.00	Pass
Trifloxystrobin	3.00	Pass

### Comments:

\*Not reported due to matrix interferences.



### Authorization

YoungChul Park, Ph.D., Laboratory Director

Approval Date: 2-Apr-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -