

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US

DEA Number: RC0639128

Labstat

Delta 8 Gummies (Watermelon)

Matrix: Infused Product



Certificate of Analysis

Sample:KN30501004-006

Harvest/Lot ID: 365

Batch#: 921A

Sample Size Received: 60 gram Retail Product Size: 60 gram

Ordered: 04/26/23

Sampled: 04/26/23 Completed: 05/04/23

PASSED

Page 1 of <u>5</u>

May 04, 2023 | Hometown Hero

9501-B Menchaca Rd #100 Austin, TX, 78748, US



PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals



Microbials





Residuals Solvents



Filth



Water Activity



Moisture



NOT TESTED

PASSED

Potency





0.4547%



Total Cannabinoids 0.4547%



Analysis Method: SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCa: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distributio Analytical Batch: KN003719POT

Reviewed On: 05/03/23 09:40:24

Instrument Used: E-SHI-008

Running on : N/A

LOD

Dilution: N/A
Reagent: 122922.11; 100422.02; 040423.R02; 042423.R01; 102722.27; 020323.06

Consumables: 301011028; 22/04/01; 220725; 239146; 947B9291.271; GD220003; 6121219; 600054; 220303059-D; IP250.100

Pipette : E-VWR-120

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

State License # n/a ISO Accreditation # 17025:2017



05/04/23



Labstat

Delta 8 Gummies (Watermelon)

Matrix: Infused Product



Certificate of Analysis

PASSED

Hometown Hero

9501-B Menchaca Rd #100 Austin, TX, 78748, US **Telephone:** (512) 576-7210 Email: tcfmarketing024@gmail.com Sample: KN30501004-006 Harvest/Lot ID: 365

Batch# : 921A Sampled: 04/26/23 Ordered: 04/26/23

Sample Size Received: 60 gram Completed: 05/04/23 Expires: 05/04/24 Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND
ACEOUINOCYL	0.038	ppm	2	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND
CHLORMEOUAT CHLORIDE	0.008	ppm	3	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND
DAMINOZIDE	0.006	ppm	0.1	PASS	ND
DIAZANON	0.006	ppm	0.2	PASS	ND
DICHLORVOS	0.014	ppm	0.1	PASS	ND
DIMETHOATE	0.009	ppm	0.1	PASS	ND
DIMETHOMORPH	0.009	ppm	3	PASS	ND
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND
ETOFENPROX	0.009	ppm	0.1	PASS	ND
ETOXAZOLE	0.007	ppm	1.5	PASS	ND
FENHEXAMID	0.005	ppm	3	PASS	ND
FENOXYCARB	0.007	ppm	0.1	PASS	ND
FENPYROXIMATE	0.006	ppm	2	PASS	ND
FIPRONIL	0.008	ppm	0.1	PASS	ND
FLONICAMID	0.014	ppm	2	PASS	ND
FLUDIOXONIL	0.011	1.1.	3	PASS	ND
HEXYTHIAZOX	0.009	ppm	2	PASS	ND
IMAZALIL	0.01	ppm	0.1	PASS	ND
IMIDACLOPRID	0.005		3	PASS	ND
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND
MALATHION	0.009	11.0	2	PASS	ND
METALAXYL	0.008		3	PASS	ND
METHIOCARB	0.008		0.1	PASS	ND
METHOMYL	0.009		0.1	PASS	ND
MEVINPHOS	0.001	11.11	0.1	PASS	ND
MYCLOBUTANIL	0.006	1.1.	3	PASS	ND
NALED	0.023		0.5	PASS	ND
OXAMYL	0.009		0.5	PASS	ND
PACLOBUTRAZOL	0.007		0.1	PASS	ND
PERMETHRINS	0.008		1	PASS	ND
PHOSMET	0.009		0.2	PASS	ND
PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND

Pesticide		LOD	Units	Action Level	Pass/Fail	Result	
PRALLETHRIN		0.008	ppm	0.4	PASS	ND	
PROPICONAZOLE		0.007	ppm	1	PASS	ND	
PROPOXUR		0.008	ppm	0.1	PASS	ND	
PYRETHRINS		0.002	ppm	1	PASS	ND	
PYRIDABEN		0.007	ppm	3	PASS	ND	
SPINETORAM		0.004	ppm	3	PASS	ND	
SPIROMESIFEN		0.009	ppm	3	PASS	ND	
SPIROTETRAMAT		0.009	ppm	3	PASS	ND	
SPIROXAMINE		0.006	ppm	0.1	PASS	ND	
TEBUCONAZOLE		0.009	ppm	1	PASS	ND	
THIACLOPRID		0.008	ppm	0.1	PASS	ND	
THIAMETHOXAM		0.009	ppm	1	PASS	ND	
TOTAL SPINOSAD		0.009	ppm	3	PASS	ND	
TRIFLOXYSTROBIN		0.009	ppm	3	PASS	ND	
Analyzed by: 2803	Weight: 1.062q	Extraction da 05/03/23 11:0			Extracted I 2803	oy:	

| 1.0029 | 0.5003/1.511:07:43 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003 | 2003

Consumables: 301011028; K130252B; 2204(01; 220725; 2126780; 264041; 201123-058; 211214634-D; 239146; 94789291.271; GD220003; 0000257576; 1300.062

Pipette: E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Dire

State License # n/a ISO Accreditation # 17025:2017



05/04/23



Labstat

Delta 8 Gummies (Watermelon)

N/A

Matrix: Infused Product



Certificate of Analysis

PASSED

Hometown Hero

9501-B Menchaca Rd #100 Austin, TX, 78748, US **Telephone:** (512) 576-7210 **Email:** tcfmarketing024@gmail.com Sample : KN30501004-006 Harvest/Lot ID: 365

Batch#: 921A Sampled: 04/26/23 Ordered: 04/26/23 Sample Size Received : 60 gram Completed : 05/04/23 Expires: 05/04/24 Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	54	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	51	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1.1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	15	ppm	750	PASS	ND
2-PROPANOL	20	ppm	500	PASS	ND
ACETONITRILE	1.3	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	6	ppm	250	PASS	ND
ETHYL ACETATE	8.3	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND
				<i>A</i>	/\/

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 138, 3050
 0.02225g
 05/03/23 11:02:03
 138

Analysis Method : SOP.T.40.041.TN Analytical Batch : KN003727SOL Instrument Used : E-SHI-106 Running on : N/A

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A Reviewed On: 05/04/23 17:34:35 Batch Date: 05/02/23 08:54:04

 $Residual\ solvents\ analysis\ is\ performed\ using\ Gas\ Chromatography\ /\ Mass\ Spectrometry.\ *Based\ on\ FL\ action\ limits.$

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Directo

State License # n/a ISO Accreditation # 17025:2017



05/04/23



Labstat

Delta 8 Gummies (Watermelon)

Matrix: Infused Product



Certificate of Analysis

PASSED

Hometown Hero

9501-B Menchaca Rd #100 Austin, TX, 78748, US **Telephone:** (512) 576-7210 Email: tcfmarketing024@gmail.com

Sample: KN30501004-006 Harvest/Lot ID: 365

Batch#:921A Sampled: 04/26/23 Ordered: 04/26/23

Sample Size Received: 60 gram Completed: 05/04/23 Expires: 05/04/24 Page 4 of 5



Microbial

PASSED



cotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA C	OLI SHIGELLA			Not Present	PASS	
SALMONELLA S	PECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			N		PASS	
ASPERGILLUS F	UMIGATUS			Not Present	PASS	
ASPERGILLUS N	IIGER			Not Present	PASS	
ASPERGILLUS T	ERREUS			Not Present	PASS	
TOTAL YEAST A	ND MOLD	10	CFU	ND	PASS	100000
Analyzed by:	Weight:	Extraction	n date:	ate: Extracted		y:
2805	1.084g	05/01/23	13:29:55	2	2805	

Analysis Method: SOP.T.40.056C, SOP.T.40.041 LOD is 1 cfu

Analytical Batch : KN003721MIC Reviewed On: 05/04/23 16:31:00 Instrument Used: E-HEW-069 Batch Date: 05/01/23 12:21:42 Running on: N/A

Reagent: 020323.03; 101822.09; 101822.07; 010923.04; 092222.01; 072722.06 Consumables: 22/04/01; 251773; 242429; 2DAX30621; P7528255; 41218-146C4-146C;

263989; 93825; 010205; 007109; 013209; n/a; 247040; 0150210

Pipette: E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-

THE-052; E-THE-053; E-THE-054; E-BIO-188

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analyzed by: 2805	Weight: 1.084g	Extraction date: 05/02/23 16:48:10	Extracted by: 2805
Analysis Method :	SOP.T.40.041		
Analytical Batch :	KN003724TYM	Reviewed On: 05	5/04/23 17:09:36
Instrument Used	: E-HEW-069	Batch Date: 05/0	01/23 13:32:39
Running on : $\ensuremath{\mathbb{N}}/\ensuremath{\mathbb{A}}$			
Dilution : N/A			
Reagent : N/A			
Consumables : N/	A		
Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques. *Based on FL action limits.

پ	Myc

Analyte		LOD	Units	Result	Pass / Fail	Action Level
TOTAL MYCOTOXINS		0.002	ppm	ND	PASS	0.02
Analyzed by: 2803	Weight: 1.062g	 Extraction date: Extracted by: 05/03/23 11:07:43 2803				y:
Analysis Method : Analytical Batch : Instrument Used : Running on : N/A	KN003731MYC			03/23 14:2 3/23 11:18		

Consumables: 301011028; K130252J; 22/04/01; 220725; 21267B0; 264041; 201123-058; 211214634-D; 239146; 947B9291.271; GD220003; 0000257576; 1300.062

Pipette: E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119

Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycrotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. *Based on FL action limits.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	ND	PASS	0.5

Extraction date: Analyzed by: Weight: Extracted by: 2837, 138 0.272g 05/02/23 09:23:41 2837

Analysis Method: SOP.T.30.082, SOP.T.40.082,TN

Analytical Batch : KN003720HEA Instrument Used: E-AGI-084 Running on : N/A

Reviewed On: 05/04/23 09:59:19 Batch Date: 05/01/23 09:13:02

Dilution: N/A Reagent: 122922.11; 100422.02; 041923.R13; 031423.R13; 101722.05; 022023.01; 042723.R05; 031623.R01; 031423.R01; 022823.R12; 040523.R01; 040523.R02; 040523.R03; 031623.R02; 041923.R03

Consumables : 257747; 829C6-829B; 221200; A260422A

Pipette: E-VWR-120

Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Billion, ppb= Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result > 99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

State License # n/a ISO Accreditation # 17025:2017



05/04/23

Signature



Labstat

Delta 8 Gummies (Watermelon)

Matrix: Infused Product



Certificate of Analysis

Reviewed On: 05/03/23 11:18:48

Batch Date: 04/24/23 10:22:13

Sample: KN30501004-006

Harvest/Lot ID: 365 Batch# : 921A Sampled: 04/26/23 Ordered: 04/26/23

Sample Size Received: 60 gram Completed: 05/04/23 Expires: 05/04/24 **PASSED**

Page 5 of 5



Hometown Hero

9501-B Menchaca Rd #100

Filth/Foreign **Material**

PASSED

Analyte Units **Action Level** Filth and Foreign Material PASS detect/g ND Extraction date: Analyzed by: Weight: Extracted by: 05/01/23 13:25:08 0.561g

Analysis Method: SOP.T.40.090 Analytical Batch : KN003703FIL Instrument Used: E-AMS-138

Running on : N/A

Reagent : N/A Consumables : N/A Pipette: N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

State License # n/a ISO Accreditation # 17025:2017



05/04/23